


FID TECH

Air Purifier

(Pet Version)

User Manual



Model:AP803P

PLEASE READ AND KEEP THIS MANUAL

Safety Instructions.....	1
Specification.....	2
Parts and Structure.....	3
Installation.....	4
Control Panel	5
Cleaning and Maintenance.....	7
Safety Precaution.....	8
Trouble shooting.....	9

Safety Instructions

Important:

Please read and comply with all of the instructions and warnings provided in this manual before using the product. Failure to comply with the instructions and warnings provided here may result in inaccurate results or damage to the product itself.

WARNING: To reduce the risk of fire, electric shock , or injury , do not use replacement parts that have not been recommended by the manufacturer (e.g. parts made at home using a 3D printer).

01. Ensure the plug fits properly into a polarized power outlet.
02. This appliance should only be used in a room with temperatures between 40°F and 110°F.
03. To avoid fire or shock hazard, connect the purifier to the correct electrical outlet.
04. NEVER place the unit on a soft surface such as a bed or sofa as this could cause the unit to tip over and block the air inlet or outlet grilles.
05. Do not place anything on top of the unit.
06. Do not move or tilt the unit while it is in operation.
07. Do not insert fingers or objects into the air inlet or air outlet.
08. Do not use outdoors. This unit is only suitable for indoor use. Please avoid exposure to strong please avoid strong sunlight and rain.
09. Do not use near water to avoid electrical hazards.
10. Do not use the unit in wet or humid environments.
11. Do not handle the unit with wet hands. Thoroughly dry your hands before handling any part of the air purifier.
12. Do not place the unit directly below an air conditioner to prevent any moisture from getting into the unit.
13. Close supervision is necessary when any appliance is used by or near children, or persons with disabilities.
14. Keep the unit away from heated surfaces and open flames such as stove tops, ovens, raditors or computers.
15. Always turn the purifier off before unplugging it.
16. Always unplug the air purifier before moving or cleaning the unit, opening the rear cover, changing the filter , or whenever the unit is not in use.
17. To disconnect the unit, be sure to pull the plug instead of the adapter.
18. NEVER use detergents, gasoline, glass cleanser furniture polish, paint thinner, or other household solvents to clean any part of the purifier.
19. Non-professional personnel or unauthorized repair personnel shall not repair or

Safety Instructions

modify the machine by themselves.

20. Do not operate the appliance with a damaged cord or plug. If the motor fan fails to operate, or if the unit has been dropped or damaged in any manner, contact the Customer Service.

21. Always allow 15 inches of clearance on all sides of the purifier.

To reduce the risk of electric shock, do not alter the plug in any way.



WARNING: Any alterations or modifications to this unit that are not expressly authorized by the compliance authority will void eligibility for warranty services.

WARNING: To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Device With Any Solid-State Speed Control Device.

Specifications

Item	FID TECH Air Purifier (Pet Version)
Model	AP803P
Adapter input	100-240V~50Hz/60Hz
Rated Voltage	24V $\frac{---}{---}$
Rated current	1.2A
Rated power	28W
Dimensions (L*W*H)	230*230*517mm





Parts and Structure




Installation

FID TECH air purifier comes with an original filter, please remember to remove all packaging from the filter before use.

- 1.Turn off the machine , open the filter cover. (See Figure 1)
- 2.Remove the HEPA Filter from the washable Pre-Filter. (See Figure 2)
- 3.Remove the HEPA Filter inside the machine and tear off the outermost plastic bag. (See Figure 3)
- 4.Insert the HEPA Filter back into the Pre-Filter and put back into the machine. Close the cover . (See Figure 4)
- 5.Plug the power adapter into a socket, and the machine will function normally.



Control Panel



Icon	Description
	Power on/off
	Press the fan speed button to switch between speeds I-II-III-IV-I
	<p>Press the sleep Mode button, the "sleep" light on the panel will light up, and the motor fan speed will enter the low speed. After 3 seconds, all the panel lights will be off.</p> <p>Press any button to wake up the button lights. At this time, you can set the timer manually, and turn on/off the "sleep" light. The lights will turn off again after 3 seconds.</p> <p>To exit Sleep Mode, press the Sleep Mode button or the Wind Speed button. The unit will then enter Automatic Mode.</p>

Control Panel

Icon	Description																				
	<p>Press the Ionizer button to turn the ionizer generator on or off. The corresponding indicator light will turn on or off accordingly. When the filter has been used for over 2000 hours, this button light will flash, indicating that a new HEPA Filter needs to be installed. After changing filter, press and hold the button for 3 seconds, the flashing light will stop, and the unit will resume normal operation.</p>																				
	<p>Press the Automatic Mode button to enter Automatic Mode and press again to exit the Automatic Mode, the fan speed will automatically adjust according to the concentration of PM2.5 in the air as follows:</p> <table border="1"> <thead> <tr> <th>PM 2.5 ranges</th><th>Air quality rating</th><th>Fan speed</th><th>Light indication</th></tr> </thead> <tbody> <tr> <td><50</td><td>Excellent</td><td>1</td><td>Green</td></tr> <tr> <td>51-100</td><td>Good</td><td>2</td><td>Blue</td></tr> <tr> <td>101-150</td><td>Medium</td><td>3</td><td>Yellow</td></tr> <tr> <td>>150</td><td>Poor</td><td>4</td><td>Red</td></tr> </tbody> </table> <p>To activate Child Lock, press and hold the Child Lock button for 3 seconds. The indicator light will turn on and all other buttons are disabled. If you press any other button, the Child Lock indicator will flash three times as a reminder.</p> <p>To deactivate Child Lock, press and hold the Child Lock button again for 3 seconds. The indicator light will turn off, and all other buttons will become operational.</p>	PM 2.5 ranges	Air quality rating	Fan speed	Light indication	<50	Excellent	1	Green	51-100	Good	2	Blue	101-150	Medium	3	Yellow	>150	Poor	4	Red
PM 2.5 ranges	Air quality rating	Fan speed	Light indication																		
<50	Excellent	1	Green																		
51-100	Good	2	Blue																		
101-150	Medium	3	Yellow																		
>150	Poor	4	Red																		
	<p>Press the Light Button briefly to turn the ambient light on or off. To adjust the brightness, press and hold the Light Button for about 1.5 to 3 seconds. The light will gradually dim, release the button at any point to set your preferred brightness. When it reaches the minimum level, it will stop dimming. Press and hold again for 1.5 to 3 seconds to make the light brighter. This dimming and brightening cycle repeats with each long press. The light automatically remembers the last brightness level when it or the machine is turned off. If the power adapter is disconnect-</p>																				

Control Panel

	ed, the next time you turn it on, the light will return to 50% brightness by default.
 2H 4H 6H 8H	To set the timer, press the Timer button to cycle through the available options in the following order:2H-4H-6H-8H-shut down.
	Air Quality Indicator light

CLEANING AND MAINTENANCE

Cleaning the Air Purifier

We recommend that you clean the air purifier at least once every 3 months and before extended storage.

Unplug before cleaning.

Use only a dry cloth to wipe the external surfaces of the air purifier. DO NOT USE WATER, WAX, POLISH, OR ANY CHEMICAL SOLUTION.

Cleaning the Pre-Filter

The outer pre-filter should be cleaned every 2-4 weeks to maintain the efficiency and extend the life of your filter.

Clean the pre-filter using a soft brush or vacuum cleaner hose to remove hair, dust, and large particles.

Do not clean the HEPA Filter with water or other liquids.

Maintenance

If your Air Purifier will not be used for more than 30 days, we recommend that you:

Remove the HEPA Filter from the unit.

Wrap the HEPA Filter in an airtight plastic bag.

Remove the Pre-Filter and place in a separate clean plastic bag.

Safety Precaution

Precautions When Placing	
CAUTION 	<ol style="list-style-type: none">1.Place the unit on the flat and firm surface.2.Keep the unit away from water to avoid a short circuit.3.Don't place any water-filled containers, such as vases, on the unit.4.Keep the unit away from oil or flammable gas.5.This unit is for indoor use only. Do not use it under direct sunshine or rain.
CAUTION 	<ol style="list-style-type: none">1.Don't block air inlet or air outlet to prevent unit from overheating.2.Operate unit only at voltage specified on data label.3.Don't place the unit near sources of heat such as stovetops, etc.4.Do not modify or disassemble the unit.5.When unit is not used for long time, unplug it from electrical outlet.6.Do not unplug the unit while it is in working mode.7.Unplug the unit before cleaning the unit, changing or cleaning filters.8.If cord or plug is damaged, turn off the unit immediately.

Trouble shooting

No	Problems	Cause	Solution
1	Failed to turn on the unit.	Power cord not firmly plugged into outlet.	Firmly plug the power cord into the electrical outlet.
		Front cover is not closed properly.	Ensure front cover is firmly closed.
2	Abnormal sound and low airflow when working.	Check if the filter PE bag is removed.	Remove filter PE bag.
		Check if the air inlet and air outlet is blocked.	Turn off the unit. Clear any obstructions from the air inlet and outlet grilles.
3	Strange odor.	New unit smell (common with newly assembled appliances).	Run the unit at high speed in a well-ventilated room for several hours. The odor should dissipate naturally.
		Presence of strong odors in the environment (e.g., tobacco smoke, cooking).	The unit is working to clean the air. The odor should reduce once the source is removed and the air is purified.
		The filter is saturated with absorbed odors and pollutants.	Clean the pre-filter or replace the HEPA filter as needed.

FIDELITY TRADING DEVELOPMENT LIMITED

Unit 1016, 10/F, Technology Park, 18 On Lai Street, Shatin, N.T. Hong Kong


Ph: (852) 2366 8913

FID TECH

空氣清新機

(寵物版)

使用者手冊



型號:AP803P

請仔細閱讀並妥善保存這使用者手冊

安全須知.....	1
產品規格.....	2
部件與結構.....	3
安裝指南.....	4
功能說明.....	5
清潔與保養.....	7
安全注意事項.....	8
故障診斷.....	9

安全須知

重要提示：

使用本產品前，請務必仔細閱讀並遵守本手冊中的所有說明與警告。未遵守本手冊的說明與警告可能導致效果不準確或產品損壞。

警告：為降低火災、觸電或人身傷害的風險，請勿使用未經製造商推薦的替換零件（例如，使用 3D 打印機自製的零件）。

01. 確保插頭穩固地插入極性電源插座。
02. 本機僅限於在 40°F 至 110°F (約 4°C 至 43°C) 室溫環境下使用。
03. 為避免火災或觸電危險，請將空氣清新機連接到符合規格的電源插座。
04. 切勿將本機放置於柔軟表面（如床或沙發）上，以免機身傾倒及進風口或出風口格柵被堵塞。
05. 請勿在機身頂部放置任何物品。
06. 機器運行時，請勿移動或傾斜機身。
07. 請勿將手指或任何物件插入進風口和出風口。
08. 請勿在室外使用。本機僅適用於室內，請避免強烈陽光直射及雨淋。
09. 請勿在水源附近使用，以避免電氣危險。
10. 請勿在潮濕環境中使用本機。
11. 請勿用濕手操作本機，操作空氣清新機任何部分前請徹底擦乾雙手。
12. 請勿將本機直接放置於冷氣機下方，以防止濕氣進入機內。
13. 當兒童或行動不便者在使用本機或身處附近時，必須密切留意。
14. 請將本機遠離發熱表面及明火，例如爐頭、焗爐、散熱器或電腦。
15. 拔掉電源插頭前，務必先關閉空氣清新機。
16. 在移動或清潔本機、打開後蓋、更換濾網以及任何時候不使用本機時，請務必拔掉電源插頭。
17. 斷開電源時，應捏住電源插頭，切勿拉扯電線。
18. 切勿使用清潔劑、汽油、玻璃清潔劑、傢俱亮光劑、油漆稀釋劑或其他家用溶劑來清潔空氣清新機的任何部分。
19. 非專業人員或未經授權的維修人員不得自行修理或改裝本機。
20. 請勿在電源線或插頭損壞的情況下操作本機。如果風扇電機無法運行，或本機曾墜落或以任何方式損壞，請聯繫客戶服務部。
21. 請確保空氣清新機四周均預留至少 15 吋（約 38 厘米）的空間。為降低觸電風險，本設備配備了一個適用於英規插頭。請勿以任何方式改裝插頭。



警告：未經授權擅自改裝本設備，將導致產品保固失效。

警告：為降低火災或觸電風險，請勿將本機與任何固態速度控制裝置一起使用。

產品規格

產品類型	FID TECH 空氣清新機 (寵物版)
型號	AP803P
適配器輸入	100-240V~50Hz/60Hz
額定電壓	24V ==
額定電流	1.2A
額定功率	28W
產品尺寸(長*闊*高)	230*230*517mm





部件與結構




安裝指南

FID TECH空氣清新機配備了原裝濾網，使用前請記得拆除濾網的包裝膠袋。

1. 關閉機器，打開濾網蓋。(見圖1)
2. 從可清洗的前置濾網中取出 HEPA 濾網。(見圖2)
3. 取出機內的 HEPA 濾網，並撕掉最外層的膠袋。(見圖3)
4. 將 HEPA 濾網放入前置濾網，再放回機內後，關上濾網蓋。(見圖4)
5. 插入適配器，即可正常使用。



功能說明



圖示	功能說明
	開機 / 關機。
	按下風速按鈕，順序切換風速級別 I-II-III-III- 。
	按下睡眠模式鍵，面板上的「睡眠」指示燈會亮起，風扇風速將進入低速狀態。3秒後，所有按鈕的指示燈將會熄滅。 按任意鍵可喚醒按鈕燈光，此時可手動設定定時器，然後3秒後所有觸控面板的指示燈會再次熄滅。 按任意鍵喚醒燈光後，再按睡眠鍵或風速鍵即可退出睡眠模式，進入自動模式。

功能說明

圖示	功能說明																				
	<p>當濾網使用時間超過 2000 小時，此按鈕的指示燈會閃爍，提示您需要更換新 HEPA 濾網。更換濾網後，長按此按鈕 3 秒，閃爍的指示燈將會重置，即可繼續正常使用。</p> <p>輕按此按鈕可開啟或關閉負離子發生器，相應的指示燈會亮起或熄滅。</p>																				
	<p>輕按進入自動模式，再次輕按則退出自動模式。在自動模式下，風速會根據空氣中 PM2.5 的濃度自動調整，對應關係如表所示。</p> <table border="1"><thead><tr><th>PM 2.5 濃度範圍</th><th>空氣質量等級</th><th>風速級別</th><th>燈光指示</th></tr></thead><tbody><tr><td><50</td><td>優良</td><td>1</td><td>綠色</td></tr><tr><td>51-100</td><td>良好</td><td>2</td><td>藍色</td></tr><tr><td>101-150</td><td>普通</td><td>3</td><td>黃色</td></tr><tr><td>>150</td><td>欠佳</td><td>4</td><td>紅色</td></tr></tbody></table> <p>長按兒童鎖按鈕3秒，指示燈會長亮，此時按下任何按鈕，兒童鎖指示燈會閃爍3次作提醒。</p> <p>再次長按兒童鎖按鈕3秒，指示燈熄滅，兒童鎖功能關閉。此時，其他按鍵恢復可操作狀態。</p>	PM 2.5 濃度範圍	空氣質量等級	風速級別	燈光指示	<50	優良	1	綠色	51-100	良好	2	藍色	101-150	普通	3	黃色	>150	欠佳	4	紅色
PM 2.5 濃度範圍	空氣質量等級	風速級別	燈光指示																		
<50	優良	1	綠色																		
51-100	良好	2	藍色																		
101-150	普通	3	黃色																		
>150	欠佳	4	紅色																		
	<p>輕按燈光按鈕可開啟或關閉環境燈。要調節亮度，請長按燈光按鈕約 1.5 至 3 秒。燈光會逐漸變暗，可隨時鬆開按鈕以設定您喜好的亮度。當亮度達到最暗級別時，將停止變化。再次長按 1.5 至 3 秒可使燈光逐漸變亮。此調光循環會隨著每次長按而重複。</p> <p>關機或關燈時會記憶最後設定的亮度。如果電源適配器被拔掉，下次開啟時，燈光將預設恢復至 50% 的亮度。</p>																				
	定時功能會按以下順序循環切換：2小時 - 4小時 - 6小時 - 8小時 - 關閉定時。																				
	空氣質量指示燈。																				

清潔與保養

清潔空氣清新機

我們建議您至少每 3 個月清潔一次空氣清新機，長期存放前也應進行清潔。

清潔前請先拔掉電源插頭。

僅可使用乾布擦拭空氣清新機的外表面。請勿使用水、亮光蠟或任何化學溶劑。

清潔濾網

應每 2 至 4 週清潔一次外層前置濾網，以維持效率並延長濾網使用壽命。

可使用軟毛刷或吸塵機的軟管吸頭清潔前置濾網，去除毛髮、灰塵和較大顆粒。

請勿用水或其他液體清潔 HEPA 濾網。

保養

如果您的空氣清新機超過 30 天不使用，我們建議您：

1. 將 HEPA 濾網從機內取出。
2. 將 HEPA 濾網用密封膠袋包好。
3. 將前置濾網取出，並放入密封膠袋中保存。

安全注意事項

放置時注意事項	
注 意 	<ol style="list-style-type: none">1. 請將本機放置於平坦堅固的位置。2. 讓本機遠離水源，以避免短路。3. 請勿在本機上放置裝有水的容器或花瓶。4. 請勿在本機遠離油煙或易燃氣體。5. 本機僅供室內使用。請勿在陽光直射或雨淋的環境下使用。
注 意 	<ol style="list-style-type: none">1. 請勿阻塞進風口和出風口，以防止機身過熱。2. 請僅在產品標籤上指定的電壓下操作本機。3. 請勿將本機靠近熱源（如爐頭等）。4. 禁止對本機進行改裝。5. 若長時間不使用本機，請從電源插座上拔下插頭。6. 請勿在本機運行期間拔掉電源插頭。7. 在清潔本機、更換或清潔濾網前，請先拔掉電源插頭。8. 如果電源線或插頭損壞，請立即關閉本機。

故障診斷

編號	問題現象	可能原因	解決方法
1	無法啟動機器	電源線未穩固插入插座。	將插頭穩固地插入插座。
		前蓋未關好。	確保前蓋已穩固關閉。
2	運行時有異響及風量小	檢查是否已移除濾網的 PE 膠袋。	移除濾網的 PE 膠袋。
		檢查進風口或出風口是否被堵塞。	關閉機器，並移去堵塞的物件。
3	有異味	本機為全新組裝。	請在通風良好的房間內，將設備置於高速模式並運行數小時。異味應會自然消散。
		周圍環境有強烈的氣味（例如香煙味、油煙味）。	本設備正在正常淨化空氣。待污染源移除且空氣淨化完成後，異味便會減輕。
		濾網已吸附大量煙塵及異味。	請視情況清潔前置濾網，或更換 HEPA / 活性碳濾網。

富達貿易盈展有限公司

香港新界沙田石門安麗街18號達利廣場10樓1016室

電話: (852) 2366 8913